



Bobcat®

Sub-Compact Tractors

CT1021 | CT1025



***One Tough
Animal***®



ARE YOU TOUGH ENOUGH FOR THE SIMPLE LIFE?

THE BOBCAT BRAND was literally born in a barn. Designed for a turkey farmer, the original compact loader was destined to clean small livestock pens and stalls. Ever since, Bobcat® equipment has been a mainstay on ranches, dairies and all kinds of fruit, grain and vegetable operations.

Your rural lifestyle is a perfect match for the Bobcat workstyle. The Bobcat lineup of powerful sub-compact tractors has everything you need to make the most of your land. They're just as tough as our other machines for professional operators, but they're designed for the work you do most on your property.

**It takes a lot of work to live the simple life,
so get the only tractor tough enough to **take on the challenge.****



PERFORMANCE



ACCOMPLISH **MORE.**

The more you do with your tractor, the more ideas you have for your property. Bobcat compact tractors prepare you for every possibility.



These agile machines are strong enough for your biggest jobs, but small enough to work inside and around sheds, barns, animal enclosures and anywhere else the work takes you. With models up to 24.5 engine hp, hydrostatic transmission, plus generous lifting ability, ground clearance and a powerful Category 1-Limited 3-point hitch with power take-off (PTO), Bobcat brings outstanding performance and value to your property. From its wheel base to its length, tire options and overall engineering, your Bobcat sub-compact tractor feels dimensionally well balanced, powerful and capable while being responsive and comfortable to operate. With top travel speeds as high as 11.1 mph, you'll spend less time moving from one point to another, and you'll make every second count when you have work to get done. And because a hard-working tractor needs hard-working traction, you can easily engage four-wheel drive whenever the work demands it.

Hydrostatic Transmission (2-Range HST)

The hydrostatic transmission uses hydraulic pressure to change speed, operating similar to a vehicle. You'll only need to stop moving if you want to change your range. This is a good transmission choice if you're doing frequent front-end loader work, mowing or clearing brush as you maneuver through wooded areas. Its ease of operation also makes it a good choice for novice drivers. Forward and reverse are controlled by foot pedals.

Tight Turning Radius

Maximum maneuverability is the key to effective mowing, tilling and more. Bobcat sub-compact tractors feature a tight turning radius – as little as 8.3 feet – so you can move in close to trees, buildings and other obstacles.

Drawbar Towing

Bobcat sub-compact tractors deliver competitive drawbar towing power and force for heavy towing performance that beats many other tractor brands.

Hitch

The hitch provides towing flexibility and convenience.

Tire Options

Three types of tires are available for Bobcat sub-compact tractors. They offer a combination of reliability and ride quality to match the requirements of your work.

Turf Tires

Turf tires are designed with less aggressive tread that minimizes disturbance on lush lawns and established landscaping.

Industrial Tires

Industrial tire tread is wider than agricultural tires, and the lugs are deeper than turf tires. They deliver great traction for all ground conditions and many different applications.

Agricultural Tires

These tough tires have deep lugs for optimal traction and self-cleaning in soft soil and mud. They also deliver more power to the ground when towing heavy loads or pulling implements.



PROTECT YOUR INVESTMENT.

From the solid and sturdy construction of our Category 1-Limited 3-point hitches to our unmatched dealer support, your Bobcat tractor can stand up to a challenge.

Your chores demand daily attention. Your tractor needs to be ready to work when you are. Bobcat compact tractors are built to contend with the dust, dirt and grit of your toughest challenges, and they're designed with ease of maintenance in mind.

Tier 4 Diesel Engine

The powerful Tier 4 engine offers robust, reliable performance for challenging work and reliable startups – plus low noise and vibration for optimal comfort.

Polymer Fuel Tank

A heavy-duty polymer fuel tank maintains fuel integrity and eliminates rust-related contamination.

Brush Guard

Included with the optional front-end loader, the heavy-duty brush guard protects your tractor's front end from debris, branches and other obstacles.

THE BOBCAT DEALER NETWORK ADVANTAGE

Bobcat built its brand on quality equipment serviced by reliable local dealers, with warranty repairs and parts availability that are second to none. With the help of our knowledgeable dealers, Bobcat customers have kept machines running for decades doing the toughest jobs imaginable. If you're looking for long-term service and support, take a look at Bobcat sub-compact tractors.



MINIMIZE YOUR MAINTENANCE.

You bring a tractor home to do work. It shouldn't be a job to keep it running. Maintenance points on your tractor are easy to find and reach – so upkeep is simple and takes less time. Flip up the hood – it opens nearly 90 degrees – to easily access the battery, filters and other checkpoints. Other components are simple to reach and service, allowing you to easily retain peak performance for years.

One-Piece Engine Hood With Air Cylinder Assist

There are no side panels to remove when you need to access your engine. It's as simple as lifting the hood. With the air cylinder assist, it takes little effort. When fully opened, the tractor's hood stands nearly perpendicular to the engine compartment. This provides best-in-class maintenance accessibility and makes virtually all of the major service points easy to reach.





COMFORT

ENJOY YOUR WORK.

When you have hours of mowing and acres of upkeep ahead of you, a comfortable tractor is a must. Bobcat sub-compact tractors offer outstanding features that make tough jobs comfortable and enjoyable. Intuitive controls that fit you naturally. A comfortable ride. A quiet engine that helps you focus on the job. When the projects pile up, you won't mind spending extra time on this tractor.



Low Noise, Low Vibration

The engine in your Bobcat sub-compact tractor is designed to produce low noise levels with minimal vibration to keep you working comfortably and focused on the task.

Headlights

Bright headlights illuminate the job for high visibility for evening work and other low-light conditions.

LED Tail Lamp

The LED tail lamp provides excellent visibility and long bulb life.

Panoramic Visibility

The open cab provides excellent sightlines to the work and great all-around visibility, with the additional simplicity and ease of use for operators who frequently get on or off the tractor throughout the day.

Comfortable Operator Station With Ergonomic Controls

The operator station on Bobcat sub-compact tractors is designed to enable hours of comfortable, confident work. All of your controls, gauges and buttons on Bobcat sub-compact tractors are thoughtfully laid out with your ease of use in mind. The illuminated dashboard allows you to operate and easily monitor performance in all light conditions.

Intuitive Control Levers

Great controls make it easier and more enjoyable to do more with your sub-compact tractor. You can match torque to the task with the HST range lever, moving effortlessly between high and low ranges. You can also adjust mid-mount mower cutting height via a simple lever control. Rear and mid-PTO levers enable you to engage or disengage the PTOs separately or together.



Foldable Roll-Over Protective Structure (ROPS)

The ROPS is designed to protect the operator in the event of a rollover (when the ROPS is locked in the up position and the seat belt is fastened). The foldable ROPS can be temporarily lowered when driving under trees, into garages or in other low-clearance areas.

VERSATILITY

DO MORE WITH ONE MACHINE.

Throughout the day, you can go from mowing to grading to digging. Your property presents endless opportunities to get outside and get something done. From front to back, Bobcat tractors are well equipped to keep up with your to-do list.



Front-End Loader With Standard Quick Attach Mounting System

The front-end loader is a must-have for digging, dirt moving, loading and carrying material. On your Bobcat tractor, the front-end loader is easy to attach and remove, plus it delivers leading lift capacity and height for exceptional productivity.

Front-end loaders are equipped with float functionality to follow ground contours as you work.



Take on digging, loading and material handling with a strong, easy-to-use front-end loader. Handle mowing with the help of the standard mid-mount PTO. Finally, use an array of implements with your Category 1-Limited 3-point hitch and rear PTO. Your dealer can help you acquire a range of Bobcat implements for the work you do on your land.



Angled Lower Lift Arms

The lower lift arms provide a forgiving angled design that makes implement hookup quick and easy.

Flip-Up PTO Guard

The flip-up PTO guard ensures easy attachment installation while providing operator protection during use.

Mid-PTO

Enjoy superior maneuverability for mowing around trees, buildings and other obstacles with a 2,200-rpm mid-PTO and mid-mount mower. With a mid-PTO, you have the option of combining two tools on one machine – one in the back and either one in the front or a mid-mount mower.

Rear PTO and Category 1-Limited 3-Point Hitch

The Category 1-Limited 3-point hitch is key to your tractor's versatility. It enables you to do a large number of tasks on your property with both drag-behind and PTO-powered implements.





IMPLEMENTS AND ATTACHMENTS

Your compact tractor packs a lot of versatility for the price, and hard-working Bobcat implements and attachments are made to handle the numerous possibilities you uncover on your land.



Backhoe

Turn your Bobcat compact tractor into a powerful part-time excavator with this handy attachment. The backhoe is great for general purpose digging and trenching. Sub frame included.



Front-End Loader

The front-end loader is a must-have for digging, dirt moving, loading and carrying material. The Bobcat front-end loader is easy to attach and remove, plus it delivers leading lift capacity and height for exceptional productivity.

Model	BH66
Digging Depth (2' flat bottom)	73.1 in. (1857 mm)
Reach From Center Line of Swing Pivot	99.8 in. (2537 mm)
Loading Height (bucket at 60°)	54.6 in. (1389 mm)
Max. Leveling Angle	8°
Swing Arc	180°
Max. Transport Height	63.3 in. (1608 mm)
Bucket Rotation	152°
Stabilizer Spread (down position)	78.4 in. (1992 mm)
Stabilizer Spread (up position)	60.2 in. (1530 mm)
Bucket Digging Force	2240 lbf. (9964 N)
Operating Pressure	1885 psi (130 bar)
Shipping Weight (without bucket)	756 lb. (343 kg)

Model	FL6
Max. Lift Height to Pivot Pin	71.9 in. (1826 mm)
Max. Lift Height Under Level Bucket	65.0 in. (1650 mm)
Clearance With Bucket Dumped	50.1 in. (1274 mm)
Reach at Max. Lift Height	14.1 in. (359 mm)
Max. Dump Angle	57°
Reach With Bucket on Ground	52.6 in. (1336 mm)
Max. Rollback Angle	22°
Digging Depth	4.3 in. (110 mm)
Lift Capacity at Pivot Pin (max. height)	608 lb. (276 kg)
Breakout Force at Pivot Point	1554 lb. (705 kg)
Weight	606 lb. (275 kg)
Bucket Width	48.0 in. (1220 mm)



Front Mount Snowblower

The front mount snowblower gives you powerful snow-clearing ability with the convenience of a quick attach mount. Powered by your tractor's mid-mount PTO* (mid-mount PTO required), this attachment cuts a wide path through deep, heavy snow. Direct snow exactly where you want it with the hydraulic chute rotation.



Mid-Mount Mower

Perfect for a variety of applications, the mid-mount mower cuts grass in areas where maneuverability is tight. It includes a standard side discharge and solid rubber wheels. Features a blade travel speed of 78.2 meters per second smoothly, without skips.

Model	FSB49
Overall Width	51.4 in. (1305 mm)
Cutting Width	49.0 in. (1244 mm)
Cutting Height (blower on the ground)	21.0 in. (532 mm)
Auger Diameter	12.0 in. (305 mm)
Fan Diameter	14.0 in. (356 mm)
Chute Rotation (hydraulic)	227°
Deflector Adjustment (manual)	90°
Weight	353 lb. (160 kg)
Drive	Mid-PTO
Driveline Protection	Shear Bolt
Recommended HP Range	20.0-25.0 hp (14.9-18.6 kW)
Cutting Edge Design	Reversible/Replaceable
Cutting Edge Dimensions	0.25 in. x 4.5 in. Steel (6 mm x 114 mm Steel)
Skid Shoes	Adjustable/Replaceable 3/8 in. Steel (9 mm Steel)
Blower Design	Two Stage

Model	M60
Cutting Width	60.0 in. (1524 mm)
Cutting Height	1.0-4.0 in. (25-102 mm)
Transport Height	6.0 in. (153 mm)
Gear Type	Spiral Bevel
Number of Blades	3
Blade Spindle Speed	2888 rpm
Blade Tip Velocity	78.2 m/s
Blade Length	20.4 in. (518 mm)
Deck Thickness	0.13 in. (3.3 mm)
Total Width	74.1 in. (1992 mm)
Total Length	42.6 in. (1082 mm)
Total Height	13.7 in. (348 mm)
Weight (60" deck w/ mounting)	374 lb. (170 kg)
Drive Type	U-Joint and V-Belt
Lifting Type	3-Point Hitch Links
Compatible With Loader	Yes
Drive Over Deck	Yes

*Front lift kit and PTO driveline kit are required for operation of the front mount snowblower attachment.

Bobcat provides you access to a world of Bobcat implements and front-end loader attachments – so you can get the most work from your tractor investment.

Whether it's installing a fence or taking care of animals, when you have the right tractor and the right implement or attachment, there is virtually no task that's beyond your ability.

There are more than 550 dealer locations in North America, so you're never far from an expert source of implements, attachments, accessories, parts and service.



3 pt. auger



Tine rake



3 pt. angle blade



3 pt. rotary cutter



3 pt. box blade



Rear ballast



3 pt. finish mower



Quick hitch



3 pt. snowblower



3 pt. tiller

DEALER-INSTALLED KITS AND OPTIONS

You can customize and accessorize your Bobcat sub-compact tractor to improve productivity, enhance durability, maximize operator comfort and more. Simply choose options and accessories* that match your unique demands.

MODEL	CATEGORY	OPTION LIST
CT1021 CT1025	Field Cab & Options	Field Cab Sub-Compact Kit (Not compatible with backhoe assembly)
		Noise Reduction Kit
		Working Light Kit for Field Cab
		CD Player for Field Cab
		Rear Wiper Kit
CT1021 CT1025	Options & Accessories	Beacon Light Wire Kit
		Hydraulic Filter Guard Kit
		Front Hydraulic Valve Kit
		Rear Remote Hydraulic Valve Kit
		Front Towing Hook Kit
		Cruise Control Kit
Working Light (Rear) Kit		
		Canopy

* Options and accessories are subject to change.

SPECIFICATIONS



Model	CT1021	CT1025
Engine	Diesel	Diesel
Fuel Tank Capacity	6.7 gal. (25.5 L)	6.7 gal. (25.5 L)
Gross Horsepower	21.0 hp (15.7 kW)	24.5 hp (18.3 kW)
No. of Cylinders	3	3
Total Displacement	61.4 cu. in. (1.0 L)	61.4 cu. in. (1.0 L)
3-Point, PTO & Hydraulics		
3-Point Hitch	Category 1 Limited	Category 1 Limited
3-Point Lift Capacity	700 lb. (318 kg)	700 lb. (318 kg)
3-Point Link Stabilizers	Turnbuckle	Turnbuckle
Lift Control Type	Hydraulic Position Control System	Hydraulic Position Control System
Lifting Rod	Turnbuckle	Turnbuckle
Lower Links	Rigid	Rigid
Mid-PTO	Standard: 2200 rpm	Standard: 2200 rpm
PTO Horsepower	16.3 hp (12.1 kW)	18.8 hp (14.0 kW)
Rear Hydraulics (optional)	1 Pair	1 Pair
Rear PTO	540 rpm	540 rpm
Rear PTO System	Independent	Independent
Total Hydraulic Pump Capacity	7.2 gpm (27.4 L/min.)	7.2 gpm (27.4 L/min.)
Drive System		
Brakes	Wet Multi-disc	Wet Multi-disc
Four-Wheel Drive	Std	Std
Rear Differential Lock	Std	Std
Transmission	2-Range HST	2-Range HST
Travel Speeds (w/ Ind. Tires)		
Forward	11.1 mph (17.8 km/hr.)	11.1 mph (17.8 km/hr.)
Reverse	7.6 mph (12.2 km/hr.)	7.6 mph (12.2 km/hr.)
Dimensions		
Ground Clearance	6.3 in. (160 mm)	6.3 in. (160 mm)
Overall Height	87.6 in. (2225 mm)	87.6 in. (2225 mm)
Overall Length (w/ 3 pt.)	99.3 in. (2522 mm)	99.3 in. (2522 mm)
Overall Width (w/ industrial tires)	46.0 in. (1161 mm)	46.0 in. (1161 mm)
Weight	1521 lb. (690 kg)	1521 lb. (690 kg)
Wheelbase	55.1 in. (1400 mm)	55.1 in. (1400 mm)
Steering	Hydrostatic Power Steering	Hydrostatic Power Steering
Inside Turning Radius	100.0 in. (2540 mm)	100.0 in. (2540 mm)
Tilt Steering Wheel	—	—
Safety Equipment		
Fold Down ROPS (Roll-Over Protective Structure)	Std	Std
Fully Retractable Seat Belt	Std	Std
Safety Interlock System (neutral start-operating)	Std	Std
Features		
Adjustable Seat	Std	Std
Cruise Control	Opt	Opt
Cup Holder	Std	Std
Glow Plug Engine Pre-heat	Std	Std
Head Lights/Tail Lights	Std	Std
Horn/Hazard Flasher/Turn Signals	Std	Std
Rear Working Light	Opt	Opt
Spark Arrestor Muffler	Opt	Opt
Toolbox	Std	Std


*Note: Hydraulic 3 pt. lift capacity will vary depending on lift point height.





One Tough Animal[®]

B O B C A T T I M E L I N E





YOU ARE ONE TOUGH ANIMAL.®

Everything we put into Bobcat equipment is designed to make more of whatever you bring to the job. Whether it's strength, versatility, speed or agility, it's built around you.

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.

DOOSAN

Bobcat Company is a member of the Doosan Group. Doosan is a global leader in construction, grounds maintenance and material handling equipment, power and water solutions, and engineering that has proudly served customers and communities for more than a century. Bobcat®, the Bobcat logo and the colors of the Bobcat machine are registered trademarks of Bobcat Company in the United States and various other countries. ©2022 Bobcat Company. All rights reserved.



Printed on 10% recycled paper

B-2280 (05/22)
EP-8M-0522-81538-F

Bobcat Company
250 East Beaton Drive • West Fargo, ND 58078

Bobcat.com



Bobcat®

One Tough Animal.